

# API Documentation 2.0.2 NOVASOL AS

For the Brands: NOVASOL and dansommer

# **Contents**

1 Before you start	
1.1 How to work with this documentation?	5
1.2 Vacation type "Holiday Cottage"	
1.3 Check list before you start using the API	5
1.4 Does and Don'ts	6
1.5 Support	6
1.6 Brands	6
1.7 Basic Workflows of the API	7
1.8 Booking Process of the API	8
	_
2 Access to API	
2.1 API	
2.2 Character set/Encoding	
2.3 User-Agent	
2.4 Authentication	
2.5 Compressed response	
2.6 POST	9
3 API-method /products	۵
3.1 Parameters (GET)	. J
3.2 Returns	
3.3 Return "error" messages	. 10
4 API-method /products/[specific]	10
4.1 Parameters (GET)	11
4.2 Returns	
4.3 Return "error" messages	
7.0 1.0 tulii 01101 111000uguu	
5 API-method /batches	
5.1 First request batch to create zip file	
5.1.1 Parameters (POST)	
5.1.2 Returns	. 12
5.1.3 Return "error" messages	. 12
5.2 Second request to download zip file	. 12
5.2.1 Parameters (GET)	. 13
5.2.2 Returns	. 13
5.2.3 Return "error" messages	. 13
-	
A A Dil social de la Madella	40
6 API-method /available	13
6.1 Parameters (GET)	
6.2 Return	. 14
7 API-method /available/[specific]	15
7.1 Parameters	15
7.1 Farameters	
7.2 Returns	
1.3 Neturn error messages	. 10
8 API-method /bookings (new/confirm)	16
8.1 New booking	. 16
8.1.1 Parameters (post)	
8.1.2 Returns	
	. 17

3.2.1 Parameters (PUT)       18         3.2.2 Returns       18         3.2.3 Return "error" messages       18         3.3 Access E-docs       18         3 API-method /bookings (delete)       19         3.1 Parameters       19         1.2 Returns       19         10.1 Parameters       20         10.2 Returns       20         11.1 API-method /bookings/[specific]       20         11.1 Parameters       21         11.2 Returns       21         11.3 Return "error" messages       22         12 Rental Agreement       22         12.1 NOVASOL Rental Terms       22         13.2 Peturns       23         13.2 Peturns       23         14.4 API-method /seasons       23         13.2 Peturns       23         14.2 Parameters       23         14.2 Peturns       23         15.4 Parameters       23         16.2 Peturns       24         16.4 Parameters       24         16.2 Peturns       24         16.2 Peturns       25         17.5 buildings       36         17.6 pictures       36         17.7 bodia       31	3.2 Update booking	18
3.2.3 Return "error" messages       .18         3.3 Access E-docs       .18         9 API-method /bookings (delete)       .19         2.1 Parameters       .19         10 API-method /bookings (list)       .19         10.1 Parameters       .20         10.2 Returns       .20         11 API-method /bookings/[specific]       .20         11.1 Parameters       .21         1.1.2 Returns       .21         1.1.3 Return "error" messages       .21         12 Rental Agreement       .22         12.1 NOVASOL Rental Terms       .22         13.4 Parameters       .23         13.2 Returns       .23         14.4 Parameters       .23         14.2 Returns       .23         15.3 Parameters       .23         15.4 Parameters       .23         15.5 Parameters       .23         15.2 Returns       .24         16 API-method /countries/[specific]       .23         15.1 Parameters       .23         15.2 Returns       .24         16.3 Parameters       .24         16.4 Parameters       .24         16.5 Parameters       .24         16.2 Returns       .24	3.2.1 Parameters (PUT)	18
3.3 Access E-docs       18         9 API-method /bookings (delete)       19         2.1 Parameters       19         3.2 Returns       19         10 API-method /bookings (list)       19         10.1 Parameters       20         10.2 Returns       20         11.1 Parameters       21         11.2 Returns       21         11.3 Return "error" messages       22         12 Rental Agreement       22         12.1 NOVASOL Rental Terms       23         13.1 Parameters       23         13.2 Returns       23         13.2 Returns       23         14.4 API-method /seasons       23         14.2 Returns       23         14.3 Returns       23         14.4 Parameters       23         15.5 Parameters       23         15.6 Returns       24         16 API-method /countries/[specific]       23         15.1 Parameters       24         16.2 Returns       24         16.2 Returns       24         16.2 Returns       25         17.2 information       25         17.2 features       26         17.3 location       29	3.2.2 Returns	18
3.3 Access E-docs       18         9 API-method /bookings (delete)       19         2.1 Parameters       19         3.2 Returns       19         10 API-method /bookings (list)       19         10.1 Parameters       20         10.2 Returns       20         11.1 Parameters       21         11.2 Returns       21         11.3 Return "error" messages       22         12 Rental Agreement       22         12.1 NOVASOL Rental Terms       23         13.1 Parameters       23         13.2 Returns       23         13.2 Returns       23         14.4 API-method /seasons       23         14.2 Returns       23         14.3 Returns       23         14.4 Parameters       23         15.5 Parameters       23         15.6 Returns       24         16 API-method /countries/[specific]       23         15.1 Parameters       24         16.2 Returns       24         16.2 Returns       24         16.2 Returns       25         17.2 information       25         17.2 features       26         17.3 location       29	8.2.3 Return "error" messages	18
9 API-method /bookings (delete)		
19.1 Parameters   19.2 Returns   19.2 Returns   19.2 Returns   19.3 Parameters   19.3 Parameters   20.4 Returns   20.5 Parameters   20.5 Parameters   20.5 Parameters   20.5 Parameters   20.5 Parameters   20.5 Parameters   21.1 Parameters   21.1 Parameters   21.1 Parameters   21.1 Parameters   21.1 Parameters   21.1 Parameters   22.1 Parameters   23.1 Parameters   24.1		
19.1 Parameters   19.2 Returns   19.2 Returns   19.2 Returns   19.3 Parameters   19.3 Parameters   20.4 Returns   20.5 Parameters   20.5 Parameters   20.5 Parameters   20.5 Parameters   20.5 Parameters   20.5 Parameters   21.1 Parameters   21.1 Parameters   21.1 Parameters   21.1 Parameters   21.1 Parameters   21.1 Parameters   22.1 Parameters   23.1 Parameters   24.1		
19.1 Parameters   19.2 Returns   19.2 Returns   19.2 Returns   19.3 Parameters   19.3 Parameters   20.4 Returns   20.5 Parameters   20.5 Parameters   20.5 Parameters   20.5 Parameters   20.5 Parameters   20.5 Parameters   21.1 Parameters   21.1 Parameters   21.1 Parameters   21.1 Parameters   21.1 Parameters   21.1 Parameters   22.1 Parameters   23.1 Parameters   24.1	API-method /bookings (delete)	19
19   10 API-method /bookings (list)   19   10.1 Parameters   20   10.2 Returns   20   10.2 Returns   20   11.1 Parameters   20   11.1 Parameters   20   11.1 Parameters   21   11.2 Returns   21   11.2 Returns   21   11.3 Return "error" messages   22   12.1 RoVASOL Rental Terms   22   12.1 NOVASOL Rental Terms   22   13.3 API-method /seasons   23   13.1 Parameters   23   13.2 Returns   23   14.4 Parameters   23   14.2 Returns   23   14.2 Returns   23   14.3 Parameters   23   15.3 Parameters   23   15.5 Parameters   23   15.5 Parameters   24   16.1 Parameters   24   16.1 Parameters   24   16.1 Parameters   24   16.1 Parameters   25   17.1 information   25   17.1 information   25   17.1 information   25   17.1 information   25   17.3 location   29   17.5 buildings   30   17.6 pictures   30   17.7 media   31.7 media		
10 API-method /bookings (list)		
10.1 Parameters		
10.1 Parameters		
10.1 Parameters	10 API-method /bookings (list)	19
10.2 Returns.		
111 API-method /bookings/[specific]       20         11.1 Parameters       21         11.2 Returns       21         11.3 Return "error" messages       22         12 Rental Agreement       22         12 Rental Agreement       22         12 API-method /seasons       23         13.1 Parameters       23         13.2 Returns       23         14 API-method /countries       23         14.1 Parameters       23         14.2 Returns       23         15 API-method /countries/[specific]       23         15.1 Parameters       23         15.2 Returns       24         16 API-method /translate       24         16.2 Parameters       24         16.2 Parameters       24         16.2 Returns       25         17.1 information       25         17.2 features       26         17.3 location       29         17.5 buildings       30         17.6 pictures       30         17.7 media       31         17.9 offers       32         17.10 availabilities       33         17.11 concepts       34		
11.1 Parameters       21         11.2 Returns       21         11.3 Return "error" messages       22         12 Rental Agreement       22         12.1 NOVASOL Rental Terms       22         13 API-method /seasons       23         13.1 Parameters       23         13.2 Returns       23         14 API-method /countries       23         14.1 Parameters       23         14.2 Returns       23         15 API-method /countries/[specific]       23         15.1 Parameters       23         15.2 Returns       24         16 API-method /translate       24         16.2 Returns       24         17 Property data       25         17.1 information       25         17.2 features       26         17.3 location       29         17.4 address       29         17.5 buildings       30         17.6 pictures       30         17.7 media       31         17.8 prices       32         17.10 availabilities       33         17.11 services       34          17.12 concepts       36		
11.1 Parameters       21         11.2 Returns       21         11.3 Return "error" messages       22         12 Rental Agreement       22         12.1 NOVASOL Rental Terms       22         13 API-method /seasons       23         13.1 Parameters       23         13.2 Returns       23         14 API-method /countries       23         14.1 Parameters       23         14.2 Returns       23         15 API-method /countries/[specific]       23         15.1 Parameters       23         15.2 Returns       24         16 API-method /translate       24         16.2 Returns       24         17 Property data       25         17.1 information       25         17.2 features       26         17.3 location       29         17.4 address       29         17.5 buildings       30         17.6 pictures       30         17.7 media       31         17.8 prices       32         17.10 availabilities       33         17.11 services       34          17.12 concepts       36		
11.1 Parameters       21         11.2 Returns       21         11.3 Return "error" messages       22         12 Rental Agreement       22         12.1 NOVASOL Rental Terms       22         13 API-method /seasons       23         13.1 Parameters       23         13.2 Returns       23         14 API-method /countries       23         14.1 Parameters       23         14.2 Returns       23         15 API-method /countries/[specific]       23         15.1 Parameters       23         15.2 Returns       24         16 API-method /translate       24         16.2 Returns       24         17 Property data       25         17.1 information       25         17.2 features       26         17.3 location       29         17.4 address       29         17.5 buildings       30         17.6 pictures       30         17.7 media       31         17.8 prices       32         17.10 availabilities       33         17.11 services       34          17.12 concepts       36	11 API-method /bookings/[specific]	20
11.2 Returns       21         11.3 Return "error" messages       22         12 Rental Agreement       22         12.1 NOVASOL Rental Terms       22         13 API-method /seasons       23         13.1 Parameters       23         13.2 Returns       23         14 API-method /countries       23         14.1 Parameters       23         14.2 Returns       23         15 API-method /countries/[specific]       23         15.2 Returns       24         16 API-method /translate       24         16.1 Parameters       24         16.2 Returns       24         17 Property data       25         17.1 information       25         17.2 features       26         17.3 location       29         17.4 address       29         17.5 buildings       30         17.7 media       31         17.8 prices       32         17.10 availabilities       32         17.11 services       34         17.12 concepts       36	11.1 Parameters	21
11.3 Return "error" messages       22         12 Rental Agreement       22         12.1 NOVASOL Rental Terms       22         13 API-method /seasons       23         13.1 Parameters       23         13.2 Returns       23         14 API-method /countries       23         14.1 Parameters       23         14.2 Returns       23         15 API-method /countries/[specific]       23         15.2 Returns       24         16 API-method /translate       24         16.2 Returns       24         17 Property data       25         17.1 information       25         17.2 features       26         17.3 location       29         17.4 address       29         17.5 buildings       30         17.7 media       31         17.8 prices       32         17.10 availabilities       32         17.11 services       32         17.11 services       36         17.12 concepts       36		
12 Rental Agreement       22         12.1 NOVASOL Rental Terms       22         13 API-method /seasons       23         13.1 Parameters       23         13.2 Returns       23         14 API-method /countries       23         14.1 Parameters       23         14.2 Returns       23         15.4 Parameters       23         15.2 Returns       24         16 API-method /countries/[specific]       23         15.2 Returns       24         16 API-method /translate       24         16.2 Returns       24         16.2 Returns       24         17 Property data       25         17.1 information       25         17.2 features       26         17.3 location       29         17.4 address       29         17.5 buildings       30         17.6 pictures       30         17.7 media       31         17.8 prices       32         17.10 availabilities       32         17.11 services       34         17.12 concepts       36		
12.1 NOVASOL Rental Terms       22         13 API-method /seasons       23         13.1 Parameters       23         13.2 Returns       23         14 API-method /countries       23         14.1 Parameters       23         14.2 Returns       23         15 API-method /countries/[specific]       23         15.1 Parameters       23         15.2 Returns       24         16 API-method /translate       24         16.1 Parameters       24         16.2 Returns       24         17 Property data       25         17.1 information       25         17.2 features       26         17.3 location       29         17.4 address       29         17.5 buildings       30         17.6 pictures       30         17.7 media       31         17.8 prices       32         17.9 offers       32         17.1 services       32         17.11 services       36         17.12 concepts       36		
12.1 NOVASOL Rental Terms       22         13 API-method /seasons       23         13.1 Parameters       23         13.2 Returns       23         14 API-method /countries       23         14.1 Parameters       23         14.2 Returns       23         15 API-method /countries/[specific]       23         15.1 Parameters       23         15.2 Returns       24         16 API-method /translate       24         16.1 Parameters       24         16.2 Returns       24         17 Property data       25         17.1 information       25         17.2 features       26         17.3 location       29         17.4 address       29         17.5 buildings       30         17.6 pictures       30         17.7 media       31         17.8 prices       32         17.9 offers       32         17.1 services       32         17.11 services       36         17.12 concepts       36		
12.1 NOVASOL Rental Terms       22         13 API-method /seasons       23         13.1 Parameters       23         13.2 Returns       23         14 API-method /countries       23         14.1 Parameters       23         14.2 Returns       23         15 API-method /countries/[specific]       23         15.1 Parameters       23         15.2 Returns       24         16 API-method /translate       24         16.1 Parameters       24         16.2 Returns       24         17 Property data       25         17.1 information       25         17.2 features       26         17.3 location       29         17.4 address       29         17.5 buildings       30         17.6 pictures       30         17.7 media       31         17.8 prices       32         17.9 offers       32         17.1 services       32         17.11 services       36         17.12 concepts       36	12 Rental Agreement	22
13 API-method /seasons       23         13.1 Parameters       23         13.2 Returns       23         14 API-method /countries       23         14.1 Parameters       23         14.2 Returns       23         15.4 Parameters       23         15.2 Returns       24         16 API-method /translate       24         16.1 Parameters       24         16.2 Returns       24         17 Property data       25         17.1 information       25         17.2 features       26         17.3 location       29         17.4 address       29         17.5 buildings       30         17.6 pictures       30         17.7 media       31         17.8 prices       32         17.9 offers       32         17.10 availabilities       33         17.11 services       34         17.12 concepts       36	12.1 NOVASOL Rental Terms	22
13.1 Parameters       23         13.2 Returns       23         14 API-method /countries       23         14.1 Parameters       23         14.2 Returns       23         15 API-method /countries/[specific]       23         15.1 Parameters       23         15.2 Returns       24         16 API-method /translate       24         16.1 Parameters       24         16.2 Returns       24         17 Property data       25         17.1 information       25         17.2 features       26         17.3 location       29         17.4 address       29         17.5 buildings       30         17.6 pictures       30         17.7 media       31         17.8 prices       32         17.10 availabilities       32         17.11 services       34         17.12 concepts       36		
13.1 Parameters       23         13.2 Returns       23         14 API-method /countries       23         14.1 Parameters       23         14.2 Returns       23         15 API-method /countries/[specific]       23         15.1 Parameters       23         15.2 Returns       24         16 API-method /translate       24         16.1 Parameters       24         16.2 Returns       24         17 Property data       25         17.1 information       25         17.2 features       26         17.3 location       29         17.4 address       29         17.5 buildings       30         17.6 pictures       30         17.7 media       31         17.8 prices       32         17.10 availabilities       32         17.11 services       34         17.12 concepts       36		
13.2 Returns       23         14 API-method /countries       23         14.1 Parameters       23         14.2 Returns       23         15 API-method /countries/[specific]       23         15.1 Parameters       23         15.2 Returns       24         16 API-method /translate       24         16.1 Parameters       24         16.2 Returns       24         17 Property data       25         17.1 information       25         17.2 features       26         17.3 location       29         17.4 address       29         17.5 buildings       30         17.6 pictures       30         17.7 media       31         17.8 prices       32         17.10 availabilities       32         17.11 services       34         17.12 concepts       36	13 API-method /seasons	23
14 API-method /countries       23         14.1 Parameters       23         14.2 Returns       23         15 API-method /countries/[specific]       23         15.1 Parameters       23         15.2 Returns       24         16 API-method /translate       24         16.1 Parameters       24         16.2 Returns       24         17 Property data       25         17.1 information       25         17.3 location       25         17.4 address       29         17.5 buildings       30         17.6 pictures       30         17.7 media       31         17.8 prices       32         17.9 offers       32         17.10 availabilities       32         17.11 services       34         17.12 concepts       36	13.1 Parameters	23
14 API-method /countries       23         14.1 Parameters       23         14.2 Returns       23         15 API-method /countries/[specific]       23         15.1 Parameters       23         15.2 Returns       24         16 API-method /translate       24         16.1 Parameters       24         16.2 Returns       24         17 Property data       25         17.1 information       25         17.3 location       25         17.4 address       29         17.5 buildings       30         17.6 pictures       30         17.7 media       31         17.8 prices       32         17.9 offers       32         17.10 availabilities       32         17.11 services       34         17.12 concepts       36	13.2 Returns	23
14.1 Parameters       23         14.2 Returns       23         15 API-method /countries/[specific]       23         15.1 Parameters       23         15.2 Returns       24         16 API-method /translate       24         16.1 Parameters       24         16.2 Returns       24         17 Property data       25         17.1 information       25         17.2 features       26         17.3 location       29         17.4 address       29         17.5 buildings       30         17.6 pictures       30         17.7 media       31         17.8 prices       32         17.9 offers       32         17.10 availabilities       33         17.11 services       34         17.12 concepts       36		
14.1 Parameters       23         14.2 Returns       23         15 API-method /countries/[specific]       23         15.1 Parameters       23         15.2 Returns       24         16 API-method /translate       24         16.1 Parameters       24         16.2 Returns       24         17 Property data       25         17.1 information       25         17.2 features       26         17.3 location       29         17.4 address       29         17.5 buildings       30         17.6 pictures       30         17.7 media       31         17.8 prices       32         17.9 offers       32         17.10 availabilities       33         17.11 services       34         17.12 concepts       36		
14.2 Returns       23         15 API-method /countries/[specific]       23         15.1 Parameters       23         15.2 Returns       24         16 API-method /translate       24         16.1 Parameters       24         16.2 Returns       24         17 Property data       25         17.1 information       25         17.2 features       26         17.3 location       29         17.4 address       29         17.5 buildings       30         17.6 pictures       30         17.7 media       31         17.8 prices       32         17.9 offers       32         17.10 availabilities       33         17.11 services       34         17.12 concepts       36		
15 API-method /countries/[specific]       23         15.1 Parameters       23         15.2 Returns       24         16 API-method /translate       24         16.1 Parameters       24         16.2 Returns       24         17 Property data       25         17.1 information       25         17.2 features       26         17.3 location       29         17.4 address       29         17.5 buildings       30         17.6 pictures       30         17.7 media       31         17.8 prices       32         17.9 offers       32         17.10 availabilities       33         17.11 services       34         17.12 concepts       36		
15.1 Parameters       23         15.2 Returns       24         16 API-method /translate       24         16.1 Parameters       24         16.2 Returns       24         17 Property data       25         17.1 information       25         17.2 features       26         17.3 location       29         17.4 address       29         17.5 buildings       30         17.7 media       31         17.8 prices       32         17.9 offers       32         17.10 availabilities       33         17.11 services       34         17.12 concepts       36	14.2 Returns	23
15.1 Parameters       23         15.2 Returns       24         16 API-method /translate       24         16.1 Parameters       24         16.2 Returns       24         17 Property data       25         17.1 information       25         17.2 features       26         17.3 location       29         17.4 address       29         17.5 buildings       30         17.7 media       31         17.8 prices       32         17.9 offers       32         17.10 availabilities       33         17.11 services       34         17.12 concepts       36		
15.1 Parameters       23         15.2 Returns       24         16 API-method /translate       24         16.1 Parameters       24         16.2 Returns       24         17 Property data       25         17.1 information       25         17.2 features       26         17.3 location       29         17.4 address       29         17.5 buildings       30         17.7 media       31         17.8 prices       32         17.9 offers       32         17.10 availabilities       33         17.11 services       34         17.12 concepts       36	4	
15.2 Returns       24         16 API-method /translate       24         16.1 Parameters       24         16.2 Returns       24         17 Property data       25         17.1 information       25         17.2 features       26         17.3 location       29         17.4 address       29         17.5 buildings       30         17.6 pictures       30         17.7 media       31         17.8 prices       32         17.9 offers       32         17.10 availabilities       33         17.11 services       34         17.12 concepts       36		
16 API-method /translate       24         16.1 Parameters       24         16.2 Returns       24         17 Property data       25         17.1 information       25         17.2 features       26         17.3 location       29         17.4 address       29         17.5 buildings       30         17.6 pictures       30         17.7 media       31         17.8 prices       32         17.9 offers       32         17.10 availabilities       33         17.11 services       34         17.12 concepts       36		
16.1 Parameters       24         16.2 Returns       24         17 Property data       25         17.1 information       25         17.2 features       26         17.3 location       29         17.4 address       29         17.5 buildings       30         17.6 pictures       30         17.7 media       31         17.8 prices       32         17.10 availabilities       32         17.11 services       34         17.12 concepts       36	15.2 Returns	24
16.1 Parameters       24         16.2 Returns       24         17 Property data       25         17.1 information       25         17.2 features       26         17.3 location       29         17.4 address       29         17.5 buildings       30         17.6 pictures       30         17.7 media       31         17.8 prices       32         17.10 availabilities       32         17.11 services       34         17.12 concepts       36		
16.1 Parameters       24         16.2 Returns       24         17 Property data       25         17.1 information       25         17.2 features       26         17.3 location       29         17.4 address       29         17.5 buildings       30         17.6 pictures       30         17.7 media       31         17.8 prices       32         17.10 availabilities       32         17.11 services       34         17.12 concepts       36	C A DI manth and /transalata	24
16.2 Returns.       24         17 Property data       25         17.1 information       25         17.2 features       26         17.3 location       29         17.4 address       29         17.5 buildings       30         17.6 pictures       30         17.7 media       31         17.8 prices       32         17.10 availabilities       33         17.11 services       34         17.12 concepts       36		
17 Property data       25         17.1 information       25         17.2 features       26         17.3 location       29         17.4 address       29         17.5 buildings       30         17.6 pictures       30         17.7 media       31         17.8 prices       32         17.9 offers       32         17.10 availabilities       33         17.11 services       34         17.12 concepts       36		
17.1 information       25         17.2 features       26         17.3 location       29         17.4 address       29         17.5 buildings       30         17.6 pictures       30         17.7 media       31         17.8 prices       32         17.9 offers       32         17.10 availabilities       33         17.11 services       34         17.12 concepts       36	16.2 Returns	24
17.1 information       25         17.2 features       26         17.3 location       29         17.4 address       29         17.5 buildings       30         17.6 pictures       30         17.7 media       31         17.8 prices       32         17.9 offers       32         17.10 availabilities       33         17.11 services       34         17.12 concepts       36		
17.1 information       25         17.2 features       26         17.3 location       29         17.4 address       29         17.5 buildings       30         17.6 pictures       30         17.7 media       31         17.8 prices       32         17.9 offers       32         17.10 availabilities       33         17.11 services       34         17.12 concepts       36	17 Property data	25
17.2 features       26         17.3 location       29         17.4 address       30         17.5 buildings       30         17.6 pictures       30         17.7 media       31         17.8 prices       32         17.9 offers       32         17.10 availabilities       33         17.11 services       34         17.12 concepts       36		
17.3 location       29         17.4 address       30         17.5 buildings       30         17.6 pictures       30         17.7 media       31         17.8 prices       32         17.9 offers       32         17.10 availabilities       33         17.11 services       34         17.12 concepts       36		
17.4 address       29         17.5 buildings       30         17.6 pictures       30         17.7 media       31         17.8 prices       32         17.9 offers       32         17.10 availabilities       33         17.11 services       34         17.12 concepts       36		
17.5 buildings       30         17.6 pictures       30         17.7 media       31         17.8 prices       32         17.9 offers       32         17.10 availabilities       33         17.11 services       34         17.12 concepts       36		
17.6 pictures       30         17.7 media       31         17.8 prices       32         17.9 offers       32         17.10 availabilities       33         17.11 services       34         17.12 concepts       36		
17.7 media		
17.8 prices		
17.9 offers       32         17.10 availabilities       33         17.11 services       34         17.12 concepts       36	I7.7 media	31
17.9 offers       32         17.10 availabilities       33         17.11 services       34         17.12 concepts       36	17.8 prices	32
17.10 availabilities	17.9 offers	32
17.11 services	I7.10 availabilities	33
17.12 concepts	I7.11 services	34
I / . I > IEYAI		

18 PriceRules/LOS rules	38
18.1 Price rules definitions	38
18.2 Price rule calculations	
18.2.1 Week price, fixed arrival weekday	
18.2.2 Rule calculations with percentage	
18.2.3 Rule calculations for periods of +7 days	
18.2.4 Rule calculations for "negative" percentages	
18.4 Last minute	
18.5 Rounding rules	
18.6 restrictions	
18.7 Exceptions	42
·	
40.0m a sightinforms attack	40
19 Special information	
19.1 API weekly updates	
19.2 Currency and sales markets	
19.3 Discounts	
19.4 Winter rule destination Denmark	
19.5 Secure Payment Solution: Payment IQ	
19.6 Self-Check-in-properties	44
20 Booking batch	45
20.1 Parameters	
20.1 Parameters returns	
20.2 GET bookingbatch	
20.2 021 000kmg0dk011	
00 Decument Version Control	47
99 Document Version Control	

# 1 Before you start

This documentation describes how to use the data provided by NOVASOL and dansommer via API. This is a real time communication between your servers and the NOVASOL servers with access to download full property information, search availability, verify prices, booking interaction and more.

#### 1.1 How to work with this documentation?

- Get the latest update by contacting us at <u>partner@novasol.com</u> or visit our website <a href="https://www.novasol.com/apidocumentation">https://www.novasol.com/apidocumentation</a>
- The number "1234567" has to be replaced with your agency number.
- Sales market parameter requires ISO-Code (ISO 3166-1 numeric-3).
   2 special codes are for Germany where we use the old West Germany ISO 280 and for language English and currency EUR were we use 999 (what we call international).
- Additional to this documentation we provide following helpful documents. All documents are available on request via <a href="mailto:partner@novasol.com">partner@novasol.com</a> or at <a href="https://www.novasol.com/api-documentation">https://www.novasol.com/api-documentation</a>
  - Data structure of our API
  - ISO Country Code List of all ISO codes used in our API
  - o Error Codes List of all errors coming from our backend system
- NOVASOL is using the terms "sales countries/sales markets" for those countries where vacation in holiday
  cottages are sold actively. In these countries or markets NOVASOL is present with its own sales office and
  provides the house data in the native language and currency.

The term "product country" is used for destinations where NOVASOL is renting out holiday cottages.

# 1.2 Vacation type "Holiday Cottage"

Be aware of the differences of the Holiday Cottage travel branch compared to hotel, flights or travel packages

- Each object has a fix price for the period
- On arrival the owner/housekeeper may ask for a deposit from the customer. This is generally not a part of the booking and differs from property and destination.
- There is always self-catering at a holiday cottage. Distance to restaurants or supermarkets from each house, is a part of the property data.
- The final cleaning, if not included in the rental price, is in the customer responsibility. Read more about special rules for final cleaning under Point 3.5.3.
- A NOVASOL season is equal to a calendar year. The first days of January of the following year are always bookable in connection with a Christmas / New Year's break starting in December. New seasons are released per product country. Each season has its own set of data and most calls require the parameter <Season>YYYY</Season>.

Based on the history of NOVASOL you will find more services and offers on Danish products than on other European products. The expression "For all European houses" does not include Danish houses.

# 1.3 Check list before you start using the API.

To be able to use the API you need:

- 1. An agency contract with NOVASOL AS in signed version.
- 2. A valid NOVASOL agency number.

API documentation - 5 - NOVASOL AS

- 3. If you want to sell in different languages and different currencies, you need one agency number per language and currency.
- 4. We need to enable all your IP addresses which need to have access to our server.
- 5. You need a header key to gain access to our server. This key is provided when registering your IP address.

In case you miss one of the above please contact us at <a href="mailto:partner@novasol.com">partner@novasol.com</a> or visit <a href="mailto:https://www.novasol.com/api-documentation">https://www.novasol.com/api-documentation</a> .

#### 1.4 Does and Don'ts

In order to have a smoothly running system and a good cooperation with you we would like you to consider following guidelines.

#### Best practice for updates / traffic to our server

- One time update (once a night or few times a week) = download a full batch file + import of the translations using the translation request
- Once or twice during the day = batch request using parameter "LastChange"
- Every 3-4 hours = Batch request using parameter "LastChange" for "Availabilities & Prices" This will ensure up-to-date data on your system.
- Please be aware that we are running maintenance work between 4.am and 5. Am the first Wednesday of every
  month. It will still be possible to retrieve the batch data, however the availability call and booking call might fail
  during this period.

#### Testing (API data and data on our website)

The data in the API is the same as on our website. Both ends are using the same communication to our backend. To reduce the traffic on our websites we kindly ask you not to crawl our websites. Our system administration will blacklist IP addresses causing high traffic on domains not connected to the API.

#### **Images**

We offer the URL's to all our images in the API. Within each image tag is a time stamp of the last update. This is the indicator if the image is updated.

# 1.5 Support

#### **Administrative Support**

Please contact our partner support in regards to all questions regarding your contract, commission etc.: partner@novasol.com

#### **Technical Support:**

Please use our email partner@novasol.com

#### 1.6 Brands


#### **NOVASOL**

Using NOVASOL as company you will get all properties sold under the brand NOVASOL. This is the main portfolio and contains all product markets. You have to use the brand NOVASOL on these properties when placing the booking.

dansommer is specialized in Denmark. You will get a different range of properties in Denmark than for NOVASOL. You have to use the brand dansommer on these properties when placing the booking.


API documentation - 6 - NOVASOL AS

### 1.7 Basic Workflows of the API



For technical support and the API documentation, please visit <a href="https://www.novasol.com/api-documentation.">https://www.novasol.com/api-documentation.</a>

# 1.8 Booking Process of the API



### 2 Access to API

#### 2.1 API

The API is located at <a href="https://partnerapi.novasol.com/api/">https://partnerapi.novasol.com/api/</a>

# 2.2 Character set/Encoding

The API is using UTF-8 encoding.

### 2.3 User-Agent

Please use an identifiable User-Agent header on all requests (this should include your company name and if possible your agency number). This helps our logging and reduces the risk of you getting banned.

Use common sense when deciding how many calls to make. For example, if you're making a web application, try not to hit the API on page load. Your account may be suspended if your application is continuously making several calls per second.

#### 2.4 Authentication

Besides having an active agency number and us having registered your IP address you will receive a token that needs to be included in the header on each request.

### 2.5 Compressed response

To reduce the download time of large calls you can add the header "accept-encoding" with a value of "gzip". By doing so you will get a gzipped response back that you will then have to manually decompress. Whether or not this is worthwhile depends on the speed of your network connection.

### **2.6 POST**

When performing POST-request please insert parameters in payload/body as for example: agency=12345678&arrival=2019507&departure=20190514....

# 3 API-method /products

This request asks for a list of products. A product list can focused on different search criteria's. These are listed under 3.1 Parameters. If no criteria are used, full list of properties from current season will be returned. Use GET method with "/products" request.

https://partnerapi.novasol.com/api/products

https://partnerapi.novasol.com/api/products?country=208&salesmarket=826&product=NOV

In order to retrieve the new format for the setup of the availability restrictions regarding the winterrules in Denmark (see section 19.4), please add the Parameter version=2 to the call:

https://partnerapi.novasol.com/api/products?version=2

https://partnerapi.novasol.com/api/products?country=208&salesmarket=826&product=NOV&version=2

# 3.1 Parameters (GET)

Parameter	Rule	Format	Description
company	optional	Alpha	NOV=novasol, DAN=dansommer Leaving this field empty return all available properties across all brands.
salesmarket	optional	ISO 3166-1 numeric-3	
country	optional	ISO 3166-1 numeric-3	destination, property location
season	optional	YYYY	If not set default is set to current season
area	optional	alpha numeric	NOVASOL area code (example: ITA for Tuscany)

concept	optional	alpha numeric	return properties with specific concepts (6 character codes)
quality	optional	Numeric	number of stars 1-5 where 5 is best
type	optional	Alpha	property type, either h=house or a=apartment
park	optional	Numeric	Properties located in a holiday house park; 5 digits park number
people	optional	Numeric	Number of people (adults + children) standard search is 1-30 with >30.
offer	optional	Alpha	"lastminute"=request only last minute offers
pets	optional	Boolean	true=pets allowed, false=pets not allowed
sleepingrooms	optional	Numeric	Number of sleeping rooms
bathrooms	optional	Numeric	Number of bathrooms
distwater	optional	Numeric	distance to water (not necessary beach / ocean)
swimmingpool	optional	Boolean	true=swimmingpool, false=no swimmingpool
agency	optional	Numeric	7 digit agency number only needed when using the URL to house presentation.

### 3.2 Returns

Parameter	Format	Description
number	alpha numberic	house number
country	ISO 3166-1 numeric-3	product country code
area	3 letter/digit code	area code
location	alpha	Name of location, place, village or city of property
adults	numeric	Maximum number of adults
children	numeric	Maximum number of children
quality	numeric	number of stars 1-5, 5 is best
petsAllowed	Y=yes, N=no	Y or N to pets
swimmingPool	Y=yes, N=no	Y or N to swimmingpool available
spa	Y=yes, N=no	Y or N to spa available
distanceToWater	numeric	distance to water (not necessary beach / ocean)
thumbnail	URL	url to thumbnail picture, size 146x90 pixel
url	URL	url to property presentation on consumer website (of NOVASOL or dansommer), including agency number and other needed parameters. Default sales market is set to novasol.com.
coordinate	wsg84	location of property as longitude and latitude, split by ":"

# 3.3 Return "error" messages

200 : OK

400 : Bad request, syntax must be wrong, please read documentation

401: Unauthorized

404: Not found, temporally error

405 : Method not allowed, use correct method instead

408: Time out

# 4 API-method /products/[specific]

Request information about specific product. Call "/products/[property ID]" using GET.

https://partnerapi.novasol.com/api/products/C17500?salesmarket=208&season=2019 https://partnerapi.novasol.com/api/products/A4008?salesmarket=208&season=2019 https://partnerapi.novasol.com/api/products/CIV260?salesmarket=826&season=2019

In order to retrieve the new format for the setup of the availability restrictions regarding the winterrules in Denmark (see section 19.4), please add the Parameter version=2 to the call:

https://partnerapi.novasol.com/api/products/C17500?salesmarket=208&season=2019&version=2 https://partnerapi.novasol.com/api/products/A4008?salesmarket=208&season=2019&version=2 https://partnerapi.novasol.com/api/products/CIV260?salesmarket=826&season=2019&version=2

API documentation - 10 - NOVASOL AS

### 4.1 Parameters (GET)

Parameter property ID	Rule mandatory	Format alpha numeric	<b>Description</b> The property ID of the NOVASOL or dansommer unit
salesmarket season	mandatory mandatory	ISO 3166-1 numeric-3 YYYY	
sections	optional	Alpha	Default will return all sections. Specify one or more data sections. This could be: information, features, location, buildings, address, media, prices, offers, availability, services and concepts. Split each value using ":".
showDescript ions	option	Boolean	Show text descriptions with facilities, buildings and services

#### 4.2 Returns

The return contains all data of the requested property. Please look at "18 Property data" to see specific information about the data structure.

# 4.3 Return "error" messages

200 : OK

400 : Bad request, syntax must be wrong, please read documentation

401: Unauthorized

404 : Not found, temporally error

405: Method not allowed, use correct method instead

408: Time out

### 5 API-method /batches

Batch is used for requesting large volumes of data, for example to import the full data package on to your server or when updating your database. We choose the batch file to give you the flexibility in requesting the data you need.

**IMPORTANT**: Every batch request is creating a new data file. To create a file may take up to 60 minutes depending on the size of data requested. Requests of batch files are queued. Each request fills up the queue which leads to delays in producing the batch files for you and other partner. Please avoid frequent requests on a minute basis. The batch download is done with 2 API-calls:

- Creating a zip file with requested product data
  - 2. Download the created zip file

#### https://partnerapi.novasol.com/api/batches

In order to retrieve the new format for the setup of the availability restrictions regarding the winterrules in Denmark (see section 19.4), please add the Parameter version=2 to the call:

https://partnerapi.novasol.com/api/batches?version=2

# 5.1 First request batch to create zip file

# 5.1.1 Parameters (POST)

lastchange optional YYYYMMDD Date or date and time for last update of property/sec	
or specified only properties with updated sections after YYYYMMDD last update date and time will be returned.  HHMM	•

API documentation - 11 - NOVASOL AS

sections	optional optional	Alpha Alpha	Default will return all sections. Specify one or more data sections. This could be: information, features, location, buildings, address, media (contains pictures and text), prices, offers, availability, services and concepts. Split each value using ":".  NOV=novasol, DAN=dansommer
salesmarket	optional	ISO 3166-1 numeric-3	Data for multiple sales markets can be requested. Split ISO code using ":" (Example:208:280:528)
season	mandatory	YYYY	If not set default is set to current season
country	optional	ISO 3166-1 numeric-3	destination, property location
area	optional	alpha numeric	NOVASOL area code (example: ITA for Tuscany)
concept	optional	alpha numeric	return properties with specific concepts (6 character codes)
quality	optional	numeric	number of stars 1-5 where 5 is best
type	optional	alpha	property type, either h=house or a=apartment
park	optional	numeric	Properties located in a holiday house park; 5 digits park number
people	optional	numeric	Number of people (adults+children) Standard search is 1-30 with >30.
offer	optional	alpha	lastminute=request only lastminute offers
pets	optional	boolean	true=yes to pets, false=no to pets
sleepingrooms	optional	numeric	Number of sleeping rooms
bathrooms	optional	numeric	Number of bathrooms
distwater	optional	numeric	distance to water (not necessary beach / ocean)
swimmingpool	optional	boolean	true=swimmingpool, false=no swimmingpool
showDescriptio	option	Boolean	Show text descriptions with facilities, buildings and
ns Replyto	mandatory	URL	services.  TIP: This parameter can <u>not</u> be used in connection with "lastchange" parameter.  URL of your server.
			When the batch file is ready to download a POST request is send to the specified URL including the batch ID.

### 5.1.2 Returns

Parameter Format Description

Batchid numeric identification of batch file

# 5.1.3 Return "error" messages

200 : OK

400 : Bad request, syntax must be wrong, please read documentation

401: Unauthorized

404: Not found, temporally error

405 : Method not allowed, use correct method instead

408: Time out

# 5.2 Second request to download zip file

The batch download is done using a GET request including batch id.

**Note:** It may take up to 60 minutes before the file is available for download on our server. The created batch file is automatically deleted after 24 hour after creation.

https://partnerapi.novasol.com/api/batches/28766483883

# 5.2.1 Parameters (GET)

Parameter Rule Format Description

batchid mandatory numeric batch identification code which is returned on the

first request

#### 5.2.2 Returns

Requested zip file

# 5.2.3 Return "error" messages

200: OK

400 : Bad request, syntax must be wrong, please read documentation

401: Unauthorized

404 : Not found, temporally error

405: Method not allowed, use correct method instead

408: Time out

### 6 API-method /available

Request available properties based on arrival/departure and other search criteria's or verify availability for one or multiple units. For each returned property a few important information are included. Call "/available" using GET method.

https://partnerapi.novasol.com/api/available?country=280&company=nov&arrival=20190618&departure=20190625&salesmarket=280&adults=3

In order to retrieve the new format for the setup of the availability restrictions regarding the winterrules in Denmark (see section 19.4), please add the Parameter version=2 to the call:

 $\frac{\text{https://partnerapi.novasol.com/api/available?country=280\&company=nov\&arrival=20190618\&departure=20190625\&salesmarket=280\&version=2\&adults=3}{\text{20190618\&departure=20190625\&salesmarket=280\&version=2\&adults}}$ 

# 6.1 Parameters (GET)

Parameter	Rule	Format	Description
return	optional	Numeric (default = 20)	Number of properties to be returned with one request in the range from 1 to 40 properties.
next	optional	Alpha numeric	paging functionality, insert returned "next" value to request next list of properties
company	mandatory	Alpha	nov=novasol, dan=dansommer
salesmarket	mandatory	ISO 3166-1 numeric-3	To specify language and currency
season	optional	YYYY	If not set default is set to current season
country	mandatory	ISO 3166-1 numeric-3	Destination, property location
area	optional	Alpha numeric	Area code (example: ITA for Tuscany). Multiple area codes are possible. Split area codes using ":". See 16 for possible area codes.
adults	mandatory	numeric	number of adults as 1 to 30, 1 is minimum number of adults
children	optional	numeric	number of children as 0 to 20
rooms	optional	numeric	number of sleeping rooms as 1 to 20
arrival	mandatory	YYYYMMDD	Arrival date
departure	mandatory	YYYYMMDD	Departure date
flexible	optional	Y/N	flexible arrival / departure day, +/- 3 days
minprice	optional	numeric	minimum price in sales market currency
maxprice	optional	numeric	maximum price in sales market currency
quality	optional	numeric	number of stars as 1 to 5 where 5 is best quality
type	optional	Alpha	property type, either H=holiday house or A=apartment
pets	optional	Y/N	Y or N to pets allowed in property

API documentation - 13 - NOVASOL AS

swimmingpool	optional	Y/N	Y or N to indoor or outdoor swimmingpool
indoorpool	optional	Y/N	Y or N to indoor swimmingpool (typical properties Denmark)
outdoorpool	optional	Y/N	Y or N to outdoor swimmingpool (typical properties in south Europe)
spa	optional	Y/N	1 /
•	•		Y or N to spa/whirlpool
sauna	optional	Y/N	Y or N to sauna
solarium	optional	Y/N	Y or N to solarium
fireplace	optional	Y/N	Y or N to fireplace (mostlikly wood burning stove)
tv	optional	Y/N	Y or N to television (not necessary with international
			channels)
boat	optional	Y/N	Y or N to boat rentable or free of charge
washmachine	optional	Y/N	Y or N to washmachine
dishwasher	optional	Y/N	Y or N to dishwasher
freezer	optional .	Y/N	Y or N to freezer
nonsmoker	optional	Y/N	Y to smoking not allowed in property
internet	optional	Y/N	Y or N to free or paid internet access
aircondition	optional	Y/N	Y or N to air condition (not necessary in the whole property)
distwater	optional	numeric	distance to water (not necessary beach / ocean)
waterpark	optional	Y/N	Y or N to free access to waterpark (only in product
	op	.,	country Denmark)
golf	optional	Y/N	Y or N to nearby golf course
park	optional	numeric	Properties located in holiday house parks. 5 digit park code

# 6.2 Return

Parameter	Format	Description
message	Text	Text is in the requested sales market language
- id	Numeric	3 digit message ID
next	alpha numeric	property id of next property, used for next page request
property		separator for listed properties
propertyid	alpha numeric	property number
country	ISO 3166-1 numeric-3	product country code
area	alpha numeric	NOVASOL area code (example: ITA for Tuscany). See 16 for more information about area codes
location	alpha	name of location (place, village, city)
available	numeric	1=booking, 5=on request
arrival	YYYYMMDD	date of arrival
departure	YYYYMMDD	date of departure
price	numeric	Rental price including all mandatory costs needed to be shown to the customer before booking. Some costs are paid on arrival.
discount	numeric	if discount available, amount of discount is returned here
currency	ISO 4217 alpha-3	sales market currency
adults	numeric	maximum number of adults allowed in this property (1-30)
children	numeric	maximum number of children allowed in this property as add-on to the adults. (1-20)
quality	numeric	number of stars 1-5, 5 is best
pets	boolean	Pets allowed in the holiday house
swimmingpool	boolean	Swimming pool available
spa	boolean	Boolean to spa available
distwater	numeric	distance to water (not necessary beach / ocean)
thumbnail	URL	URL to thumbnail picture, size 146x90 pixel
url	URL	URL to property presentation on consumer website of NOVASOL or dansommer including agency number and other needed parameters

wsg84long wsg84 longitude of location of property wsg84lat wsg84 latitude of location of property

# 7 API-method /available/[specific]

Verify availability and price on a specific property. Use method GET.

#### Good idea when to use this method:

Use this method before starting the booking process. This will verify or return the correct price and if property is still available.

https://partnerapi.novasol.com/api/available/C17500?agency=1234567&company=nov&salesmarket=999&arrival=20190107&departure=20190108&adu

### 7.1 Parameters

Property ID is added as part of the URL with a "/"

Parameter	Rule	Format	Description
Agency	mandatory	numeric	7 digit agency number
Company	mandatory	Alpha	nov=novasol, dan=dansommer
Salesmarket	mandatory	ISO 3166-1 numeric-3	To specify language and currency
Arrival	mandatory	YYYYMMDD	Arrival date
Departure	mandatory	YYYYMMDD	Departure date
Adults	mandatory	numeric	number of adults (1-30), 1 is minimum number of adults
Children	optional	numeric	number of children (1-20)
Pets	optional	Y/N	Pets allowed or not (error message if value does not match house criteria)
Showrentalterm	s Optional	=true =false	The rental terms URL is included in the reply The rental terms URL is <u>not</u> included in the reply
Showservices	Optional	=true =false	The offered extraservices are included in the reply  The offered extraservices are not included in the reply
showpaymentor ions	ot Optional	=true =false	The offered payment methods at the given time. Meaning payment terms that is valid for this booking date vs arrival date

### 7.2 Returns

Parameter	Format	Description
Message	text	Text in language of requested sales market
- id	numeric	3 digit message ID
Propertyid	text	ID of property
Available	Boolean	Information about the availability of the property
Request	Boolean	Information if property is on request. If true the action has to be completed manually by the local NOVASOL sales office.
Altarrival	Boolean	Information if the returned date is the requested or an alternative date
Arrival	YYYYMMDD	Arrival date (requested or alternative date)
Departure	YYYYMMDD	Departure date (requested or alternative date)
price	numeric	Rental price including all mandatory costs needed to be shown to the customer before booking.
bookingprice	numeric	Amount paid with the booking. The value of this parameter is used in the "price" parameter of the booking request.
Discount	Numeric	Amount of discount if any (is already deducted from rental price)
Currency	ISO 4217 alpha-3	Currency of the price given in 3 letter code
SpecialOfferCode	Numeric	Value defines the kind of offer for the discounted price. Available codes:

API documentation - 15 - NOVASOL AS

1=Last minute

2=Special Discount set individually on houses

7=Daily Price 8=Mini vacation 9=Spar vacation

(NOTE: There is no description available in the data feed!)

paymentid Numeric Identifier for first or second payment.

paymentdate YYYYMMDD Due date for payment

amount Numeric Amount of payment in the same currency as the price value

# 7.3 Return "error" messages

200: OK

400 : Bad request, syntax must be wrong, please read documentation

401: Unauthorized

404: Not found, temporally error

405: Method not allowed, use correct method instead

408: Time out

# 8 API-method /bookings (new/confirm)

#### A booking is created in two steps

- 1.) In step one data on booking is posted to "/bookings" and a booking number is returned.
- 2.) Step two is to confirm booking by updating booking with action=acknowledge.

**Note:** We recommend checking the availability and the price for the property and the period selected by the customer before starting the booking process. Use the method availability/[specific] for this check.

#### Minimum days before arrival:

- You can book all houses until 15:59:59 CET with arrival the day after.
  - Please note if the property is on request, the period needs to be requested by our call center and therefore cannot be booked straight away.

# 8.1 New booking

Create a new booking or option by posting booking data to "/bookings". The booking number is returned. The booking needs to be acknowledged to complete the booking in our system. If the booking is not acknowledged, it will be deleted the next morning.

**IMPORTANT**: If no e-mail is sent from NOVASOL to the customer automatically, it is the agencies responsibility sending e-docs to the customer. This is depending on the contract and the settings in our backend system.

https://partnerapi.novasol.com/api/bookings?agency=1234567&type=booking&company=dan&salesmarket=208&propertyid=a4008&arrival=20190402&departure=20190409&price=3848&adults=4&children=2&title=Hr.&firstname=Ole&lastname=Hansen&street=Holstedvej&streetnumber=23&zip=3900&email=ole@hansen.dk&custcountry=208&extra=8003-1:8028-5&test=true

# 8.1.1 Parameters (post)

Parameter	Rule	Format	Description
Agency	mandatory	7 digit numeric	agency number
Type	mandatory	alpha	Possible values: booking, option
			Option = 3 day option, check "optiondate" for more information
Company	mandatory	alpha	nov=novasol or dan=dansommer; Dansommer is only relevant
			for properties in Denmark.
salesmarket	mandatory	ISO 3166-1	Controls language and currency of this booking
		numeric-3	
Propertyid	mandatory	alpha numeric	Property number of NOVASOL or Dansommer unit. Use
, ,	•	•	capital letters in the property id.
Arrival	mandatory	YYYYMMDD	Arrival date
	,		
Departure	mandatory	YYYYMMDD	Departure date
Price	mandatory		Rental price for selected period, price has to be correct,
	•		otherwise booking will not be created. The price includes all
			•

API documentation - 16 - NOVASOL AS

			services and extra costs which are paid before arrival and to NOVASOL.
Adults	mandatory	numeric	number of adults. This parameter can have influence on the price verification.
Children	optional	numeric	number of children. This parameter can have influence on the price verification.
Pets	optional	numeric	Amount of pets cannot be greater than the number allowed in the property. Check parameter <allowedpetcount> in products under information.</allowedpetcount>
Title	optional	text	customers title
Firstname	mandatory	text	customers first name
Lastname	mandatory	text	customers last name
Street	mandatory	text	customers street name
streetnumber	mandatory	numeric	customers street number max 5 digits
floor	optional	alpha / numeric	customer floor max 5 characters or digits
location	optional	text	customers location / area / address extension
zip	mandatory	alpha numeric	customers zip code
city	mandatory	text	customers city name
custcountry	mandatory	ISO 3166-1	customers country, this automatically creates the country letter
,	,	numeric-3	in front of the zip code.
phone	mandatory	numeric	customers phone number (We suggest to post the mobile as phone)
mobile	optional	numeric	customers mobile phone number (We suggest to post the mobile as phone)
email	mandatory	email	customers e-mail address, please note Alias emails are not accepted.
ibannumber	optional	alpha / numeric	Customers IBAN number. This is only for German market and can be used for payment via "Lastschrift"/ELV.
swiftnumber	optional	alpha	Customer SWIFT number. Is only for German market and can be used for payment via "Lastschrift"/ELV
external	optional	Text	external text for booking record (max 120 characters). Please note that this field cannot be used for dependencies. When the field is used by customers you have to make sure that the message is followed up on. A good idea would be to set the booking as option and send a notification to your booking service to have the matter cleared.
subgroup	optional mandatory	alpha numeric	10 character code for use by partner to group or identify bookings. This is for agency information only. The information is only stated on the commission recipe or booking list. We suggest you to post your booking reference as subgroup true=electronic documents (PDF)
	,		,
extra	optional	alpha numeric	Ordering extra services for properties located in Denmark using the value of "serviceID" and number of units separated with "-"(for example 8003-5), split multiple extra services by ":" (for example 8003-10:8023-8)  Extra services can only be ordered with the booking if parameter Service Type = 0,1 or 4. Owner Extra Service cannot be paid or ordered with the booking.
test	optional	boolean	"true" will create a test booking. Using this parameter, the booking will be registered in our test system. You will get an API reply but the booking will not be visible in any other system.

# 8.1.2 Returns

Parameter	Format	Description
message	Text	Text in language of requested sales market
- id	numeric	3 digit message ID
bookingNumber	numeric	7 digit booking number. No number is returned if error occurred.

# 8.1.3 Return "error" messages

200: OK

400 : Bad request, syntax must be wrong, please read documentation

401: Unauthorized

404 : Not found, temporally error

405: Method not allowed, use correct method instead

408: Time out

### 8.2 Update booking

There are 2 booking update actions. First a booking can be acknowledged: this registers the transaction as a booking in the NOVASOL system. Second an option can be turned into a fixed booking.

Use method PUT.

https://partnerapi.novasol.com/api/bookings/1853623?action=acknowledge&company=dan&salesmarket=208&agency=1234567&user=RALF83&test=trule

### 8.2.1 Parameters (PUT)

Parameter bookingid company salesmarket	Rule mandatory mandatory mandatory	Format numeric alpha ISO 3166-1	<b>Description</b> 7 digit booking number. The number is send on /bookings return nov=novasol or dan=dansommer
agency user	mandatory mandatory	numeric-3 7 digit number alpha numeric	Agency employee's id or system id. Only shown on the
test action	optional mandatory	boolean	commission receipt when a user confirmed a option Used when sending test bookings To acknowledge booking or option request use "acknowledge" To change an option into a booking use "confirm"

### 8.2.2 Returns

Parameter	Format	Description
message	Text	Text in language of requested sales market
- id	numeric	3 digit message ID
bookingNumber	numeric	7 digit booking number. No number is returned if error occurred.

### 8.2.3 Return "error" messages

200: OK

400 : Bad request, syntax must be wrong, please read documentation

401: Unauthorized

404 : Not found, temporally error

405: Method not allowed, use correct method instead

408: Time out

#### 8.3 Access E-docs

E-docs can be retrieved in 3 different ways. The documents are first available on full payment. For agencies set to credit agency the e-docs are available right away.

To get e-docs it is required to send parameter "documents=true" on booking request.

- Log into NOVASOL agency login where e-docs can be downloaded from the booking list page. https://safe.novasol.com/agency?L=999
- Download e-docs using URL
   Insert the customer data and select L=ISO-code to retrieve the travel documents in a different language than the sales market language.

API documentation - 18 - NOVASOL AS

#### a. Route description:

https://edoc.novasol.com/route?H=[House ID]&E=[customer e-mail address]&B=[booking number]&L=[ISO-code]

#### b. Travel voucher:

https://edoc.novasol.com//voucher?H=[House ID]&E=[customer e-mail address]&B=[booking number]&L=[ISO-code]

#### 3) Send customer to NOVASOL MyBooking page

Without email parameter (customer must type this in manually) https://mybooking.novasol.com/[ISO of sales market]?reservationNumber=[booking number]&houseNumber=[House ID]

or

With SHA-1 hashed HEX representation of the lowercased email address https://mybooking.novasol.com/[ISO of sales market]?reservationNumber=[booking number]&houseNumber=[House ID] &hashedKey=[Hashed email

# 9 API-method /bookings (delete)

Delete acknowledged booking or option. Use method DELETE. It is also possible to delete test bookings.

Please notice that there can be a cancellation fee involved in deleting. To see cancellation fee before performing deletion it can be retrieved using /bookings/[specific] call.

https://partnerapi.novasol.com/api/bookings/1853623?company=dan&salesmarket=208&agency=1234567&propertyid=C17500&user=JDHL22&test=true

#### 9.1 Parameters

Booking number is added as part of the URL with a "/"

Parameter	Rule	Format	Description
Agency	mandatory	numeric	7 digit agency number
Company	mandatory	Alpha	nov=novasol, dan=dansommer
Salesmarket	mandatory	ISO 3166-1 numeric-3	To specify language and currency
PropertyID	mandatory	Alpha	ID of property
User	mandatory	Alpha	User name (internal use)
Test	optional	Boolean	Access to delete test bookings

#### 9.2 Returns

Parameter	Format	Description
bookingNumber	numeric	7 digit booking ID
Message	Text	Text in language of requested sales market
- id	numeric	3 digit message ID
cancellationfee	numeric	ID of property
- currency	Alpha	Currency ID

# 10 API-method /bookings (list)

Request a list of bookings. Use method GET.

API documentation - 19 - NOVASOL AS

NOTE: If bookings are more than 100 per agency account, we suggest instead to use the booking batch solution at section 20.

https://partnerapi.novasol.com/api/bookings?company=NOV&salesmarket=208&agency=1234567&test=true

### 10.1 Parameters

Parameter	Rule	Format	Description
company	mandatory	alpha	nov=novasol or dan=dansommer
salesmarket	mandatory	ISO 3166-1 numeric-3	
agency	mandatory	numeric	7 digit Agency number
propertyid	optional	alpha numeric	property number
arrival	optional	YYYYMMDD	returns bookings with specific arrival date
booked	optional	YYYYMMDD	returns bookings completed on a specific date
name	optional	alpha	search for bookings by customer name
offset	optional	numeric	7 digit booking id. To call the next set of bookings if more than 50 bookings are listed.
test	optional	boolean	Used when sending test bookings

### 10.2 Returns

The booking list will return 50 entries at one time

Parameter	Format	Description
nextoffset	numeric	Use value for "offset" to request the next 50 bookings.
booking		Separator for each booking
bookingid	numeric	9 digit booking number
propertyid	alpha numeric	property number
country	alpha	Letter code (for example Denmark DK)
arrival	YYYYMMDD	date of arrival
departure	YYYYMMDD	date of departure
booked	YYYYMMDD	date of booking
optiondate	YYYYMMDD	Latest date to confirm option
name	alpha	full name of customer
people	numeric	amount of people including children
custcountry	alpha	Letter code (for example Denmark DK)
type	alpha	option, booking, reservation or cancellation
Company	alpha	Company in which product is booked (NOV=NOVASOL, DAN=dansommer)
salesmarket	ISO 3166-1	,
	numeric-3	
currency	ISO 4217 alpha-3	
payment	numeric	Amount of payment received by NOVASOL
commission	numeric	Amount of commission
subgroup	alpha numeric	Shown when subgroup is defined on booking
username	alpha numeric	Shown when user defined on booking
documentElectronic	boolean	true = electronic papers ordered
documentAuthorized		and one of the papers of a contract

# 11 API-method /bookings/[specific]

Request a specific booking. Use method GET.

NOTE: If bookings are more than 100 per agency account, we suggest instead to use the booking batch solution at section 20.

https://partnerapi.novasol.com/api/bookings/1853623?agency=1234567&propertyid=c17500&salesmarket=208&company=NOV&test=true

# 11.1 Parameters

Parameter bookingid salesmarket	Rule mandatory mandatory	Format numeric ISO 3166-1 numeric-3	<b>Description</b> 7 digit booking number
agency	mandatory	7 digit number	Agency number property number nov=novasol or dan=dansommer Used when sending test bookings
propertyid	mandatory	alpha numeric	
company	mandatory	alpha	
test	optional	boolean	

# 11.2 Returns

11.2 Returns		
Parameter	Format	Description
bookingid	numeric	7 digit booking number
propertyid	numeric	House number
custname	alpha	Customer full name
street	alpha	Customers address street
number	numeric	Customers address house number
floor	alpha numeric	Customers address floor id
location	alpha	Customers address extension
zip	alpha numeric	Customers address zip code
city	alpha	Customers address city
custcountry	alpha	Customers address country letter (for Denmark DK)
phone	numeric	Customers telephone number
email	xxx@yyy.zzz	Customers e-mail address
persons	numeric	number of persons (adults + children)
children	numeric	number of children
pets	numeric	number of pets
arrival	YYYYMMDD	date of arrival
departure	YYYYMMDD	date of departure
season	YYYY	Season specification
apartment	numeric	Only used when the property contains more than one unit
·		(Example property with 5 similar apartments). This
		parameter will usually return "1".
username	alpha numeric	Shown when subgroup is defined on booking
subgroup	alpha numeric	Shown when user defined on booking
booked	YYYYMMDD	Date of booking
booktime	HHMMSS	Time of booking
documentdate	YYYYMMDD	Date when travel documents were printed (for e-
accamentatio		documents=date of creation).
company	alpha	Company on which the property is booked NOV=NOVASOL
33pay	S.P.1.S	DAN=Dansommer
language	ISO 3166-1	Drive Dancommon
angaago	numeric-3	
department	numeric	Sales market id number (is also mentioned on the travel
dopartment	Hamono	documents)
salesmarket	ISO 3166-1	dodinonoj
Salesmarket	numeric-3	
currency	ISO 4217	Of the stated price
currency	alpha-3	Of the stated price
price	numeric	Rental price
payments	numeno	Separator for the different payments
paymentid	numeric	ID of payment in regards to first or second rate
paymentdate	YYYYMMDD	date of payment
amount	numeric	Amount of payment
paid	numeric	Amount that is registered at NOVASOL as paid on this
paid	Humenc	booking
cancellationnessible	hooloan	•
cancellationpossible cancellationfee	boolean numeric	True if booking can be cancelled, False if not  Amount of cancellation fee if booking would be canceled
cancenationnee	Humenc	today
commission	numorio	
COMMISSION	numeric	commission for the agency on this booking

API documentation - 21 - NOVASOL AS

optiondate	alpha	Expiry date for option
type	alpha	Booking, option, reservation or other
document	boolean	True = electronic document are authorized and available
external	alpha	Text to customer if any is registered
extras		Separator for the different extra services ordered by customer
productid	alpha numeric	Extra service id
productname	alpha	Name of service is sales market language
quantity	numeric	Amount of ordered items of this extra service product
productprice	numeric	Total amount of this extra service product
contactAddressLines		Separator
addressLine	alpha	Multiple "addressLines" with different information are possible.
conditionText		Separator
condition	alpha	Code returned indicates the information in the text
	•	parameter (below). Possibilities are REN=Cleaning, DEP=Deposit, FOR=Consumption costs
text	alpha	Notification of mandatory extra service
routeInstruction	•	Separator
keyAddressText1	alpha	Information about key address
keyAddressText2	alpha	Information about key address
keyAddressZipCity	alpha	Information about key address (not necessary Zip and City)
keyAddressExtraInformation	alpha	Information about key address
routeInstructionText	alpha	Text on how to get to the key address.
geoCodeText	alpha	Text including the geo coordinates to the key address.

# 11.3 Return "error" messages

200 : OK

400 : Bad request, syntax must be wrong, please read documentation

401 : Unauthorized

404 : Not found, temporally error

405: Method not allowed, use correct method instead

408: Time out

# 12 Rental Agreement

The customer needs to acknowledge and accept the general rental terms of NOVASOL or dansommer before booking.

### 12.1 NOVASOL Rental Terms

Our Rental terms are available as PDF documents. The documents are available for every season.

**Note**: We highly recommend you to provide links to your customers to these documents.

The rental terms are acquired via a URL which is supplied via the \available API call. See chapter "7.1 Parameters" for further details.

You can also get a full list of available terms by "GET" https://partnerapi.novasol.com/api/rentalterms

If the rental terms for the requested season is not yet available then the rental terms for the previous season are supplied.

#### Example

<rentalTerms>

<![CDATA[https://image.novasol.com/site/terms/nov/2021/terms-com.pdf]]>

</rentalTerms>

### 13 API-method /seasons

This is a request to check for open seasons by product country or company. The method GET is used.

https://partnerapi.novasol.com/api/seasons https://partnerapi.novasol.com/api/seasons?country=191 https://partnerapi.novasol.com/api/seasons?country=208&company=dan

NOTE: We suggest you to perform this call every week, to ensure that you have all season open for sale

#### 13.1 Parameters

Parameter company country	Rule optional optional	Format Alpha ISO 3166-1	<b>Description</b> NOV=NOVASOL or DAN=Dansommer
		numeric-3	

D = = ==!==4! = ==

# 13.2 Returns

Parameter	Format	Description
company	alpha	NOV=NOVASOL or DAN=Dansommer
name		
country	ISO 3166-1	
	numeric-3	
startDate	YYYYMMDD	Season start date
endDate	YYYYMMDD	Season end date

# 14 API-method /countries

Request method to get a list of product countries. Method GET is used

https://partnerapi.novasol.com/api/countries

#### 14.1 Parameters

Parameter	Rule	Format	Description
salesmarket	optional	ISO 3166-1	Default is set to 999
		numeric_3	

### 14.2 Returns

Parameter	Format	Description
country	ISO 3166-1 numeric-3	
name	alpha	Name of the country in requested language (default is 999)

# 15 API-method /countries/[specific]

Request a list of areas in a specific product country. Each property is located in one area. Method GET is used. Add the product country ISO code separated by "/" to the URL.

https://partnerapi.novasol.com/api/countries/191

### 15.1 Parameters

Parameter	Rule	Format	Description
company	optional		Default is set to nov=NOVASOL
salesmarket	optional	ISO 3166-1 numeric-3	Default is set to 999

#### 15.2 Returns

ParameterFormatDescriptioncountryISO 3166-1 numeric-3country iso code

areaid apha numeric area id used to search for specific areas.

areaname alpha name of area in request language

areaid apha numeric Sub area id used to search for specific areas areaname Alpha Name of the country in requested language

### 16 API-method /translate

Much data is provided as codes and this method enables you to get translation of codes into many languages. The method is GET.

https://partnerapi.novasol.com/api/translate?salesmarket=280

### 16.1 Parameters

Parameter Rule Format Description

salesmarket mandatory ISO 3166-1 numeric-3

#### 16.2 Returns

Parameter translations
salesmarket Information about the selected file
buildingTypes Contains all types of buildings belonging to one entity
type
- id Code for building type
description Name of type of building including language code

roomsTypes Contains all descriptions of the different room types

type

- id Code of room type

description Description of type of room including language code

roomFacilities Contains all descriptions of room facilities, such as type of terrace or bath room

facility

- id Code for room facility

description Description of room including language code

codeValues

- id ID of type of facility

description Description of type of facility including language code

objectTypes Contains all descriptions for type of beds

type

id Code for bed type

description Description of type of bed including language code

concepts Contains all descriptions of concepts

concept

- id Concept code

name Concept title including language code
description Concept description including language code
features Contains all descriptions of features

feature

group group id

description Description of group including language code

subgroup

- id Subgroup id

description description of subgroup including language code

Locations location

- id Location ID

description Description of location including language code

extraServices

extraService

- id Extra service ID (serviceID)

names

name Name of service

descriptions

description Description of service

ownerExtraServices ownerExtraservice

- id Owner extra service ID (serviceID)

names

name Name of owner extra service

descriptions

description Description of owner extra service

priceTypes List of priceTypes to be used with services

priceType

- code Price type code

descriptions

description Description of price type

# 17 Property data

Data on properties are grouped into 12 sections. Each section will be described in detail here.

cproduct>

cpropertyID>

<season></season>

<salesmarkets> returns list of requested salesmarkets

<salesmarket code=""></salesmarket>

code is ISO-code for salesmarket

<brands> per salesmarket is listed which brands property is sold under

<brand>
brand>
brand code NOV=NOVASOL or DAN=dansommer

</brands>

</salesmarket>

</salesmarkets>

### 17.1 information

Basic information about the property.

We do not offer a parameter for total number of sleeping places. You can calculate them like this [total number of sleeping places = <adultCount> + <childrenCount> + <extraBedCount>]

<information>

<name></name> property name if available

<quality></quality> number of stars

<buildYear></buildYear> year when property were build

<modernizedYear></modernizedYear>

latest year that property were modernized

<switchDay></switchDay> normal weekday that arrival/departure takes place

<minimumDays></minimumDays>

Minimum number of nights the property can be rented. Standard is 7 which means the

property can be rented for full weeks only. Depending on the pricerules.

NOTE: Exceptions where minimum nights is 7, will be reflected at the pricerule section.

<type></type> property type: H=House, A=Apartment, B=Houseboat, M=Mobile House

<adultCount></adultCount> number of adults (sleeping places for adults)

<childrenCount></childrenCount>

number of children (sleeping places only fit for children)

<extraBedCount></extraBedCount>

number of extra beds (temporally sleeping places)

<sunBedCount></sunBedCount>

number of sunbeds

<allowedPetCount></allowedPetCount>

number of pets that guests can bring

<kidsFreeOfCharge></kidsFreeOfCharge>

number of kids (<4 years) that are free of charge

<catalogueHouse></catalogueHouse>

Connector for parent house in case the property is part of a complex. Apartments

belonging to one complex might be different in size and interior.

<catalogue id=" " page=" " type=" "></catalogue>

id references to catalogue number

page references to which page in catalogue that property is located

catalogue type H=Main catalogue

cproductNotes>

cproductNote languageiso=" " type=" " format=" "></productNote>

The text returned is relevant information for the customer considering to book the

property. The atributes specify the language.

This text needs to be shown prominent on the property description!

</information>

#### 17.2 features

Facilities in and outside of property. If a facility is available it will be listed with group and subgroup id. There are 750+ different possible facilities. Full list of features is available using /translate method.

Some facilities may have extra data such as starting and/or ending date, size (square meters) or counter. These are listed as units with each facility.

<features>

<feature>

<group></group> group code between 000 and 999, that is the main identifier of a feature

<subgroup></subgroup> subgroup that defines are more precise feature definition

<startDate></startDate> from date where feature is available – format is YYYYMMDD

<endDate></endDate> to date when feature is no longer available – format is YYYYMMDD

<unit id="" size=""></unit> extra data about feature

Unit id can contain different values such as floors, m2, I, spaces, capacity, count, feet, hp

(horsepower) or other depending on group.

size is number or size of unit id.

</feature>

</features>

API documentation - 27 - NOVASOL AS

#### Facilities:

- 020 Swimming pool and size if available
- 021 Poolroom equipment
- 028 Free access water park
- 600 Free access water park
- 700 Leisure center
- 027 Basin
- 022 Whirlpool and number of persons
- 023 Sauna
- 024 Solarium
- 026 Activity room
- 083 Boat, length and horsepower
- 085 Fish cleaning
- 025 Exercise
- 052 Television
- 053 Channels
- 054 Stereo
- 055 Video
- 056 Phone
- 057 DVD
- 110 Electrical products
- Electrical products 111
- Satellite 112
- Exercise equipment 114
- Indoor toys, baby items 116
- 122 Indoors various
- 126 Additional data
- 127 Pool opening hours
- 650 Concept codes

### About the property:

- 001 Property type
- 003 Building material
- 005 Roof
- 002 Floor
- 101 Negative code
- 102 Negative code
- 170 Located on...
- 171 Located on...
- 172 Located on...
- 173 Located on...
- 174 Located on...
- 175 Located on...
- 176 Located on...
- 177 Located on...
- 086 View
- View 2 087
- 300 Location view

#### Energi / heating:

- 004 Isolation
- 006 Heating
- 007 Heating secondary
- Floor heating 80
- 058 Fireplace
- 080 Extracostsexcl
- 081 Extracostsincl
- 105 Energy costs

#### Amenities:

- 040 Kitchen cold/hot water041 Stove and
- number of plates
- 042 Refrigerator
- 043 Aspirator
- 044 Freezer and size liter
- 045 Coffee brewer046 Espresso
- 047 Microwave
- 048 Wash machine
- 049 Dryer
- 050 Dishwasher
- 051 Vacuum cleaner
- 115 Kitchenware
- 124 Floor heating, wet room

#### **Outside / Grounds:**

- 010 Plot type and size m2
- 011 Garden
- 012 Terrace
- 013 Garden furniture
- 014 Parking space and number of spaces
- 015 Outdoor toys
- 113 Outdoor toys
- 126 Outdoor various
- 300 Games / activities near house
- 090 Activity
- 084 Fish activity
- 309 Free activities nearby
- 310 Nearby

#### 17.3 location

Nearby activities and facilities

<locations>

text description of property location

should be used in search results and house views as main title/location

<areaCode> property location code – use /countries/[specific] to see full area list

<pointsOfInterest>

<pointOfInterest>

<group></group> type of point of interest

see /translate under Locations for more information

<subgroup></subgroup>

sub definition of point of interest

see /translate under Locations for more information)

<distance></distance> distance to POI in meters

</pointOfInterest>

</pointsOfInterest>

</locations>

#### 17.4 address

Property address and location as longitude/latitude coordinates.

NOTE: The address is not to be shown to the customer prior booking.

```
<address>
```

<street></street>

<streetNumber></streetNumber>

<floor></floor>

<zip></zip>

<city></city>

<countryISOCode></countryISOCode>

<country></country>

<coordinates quality=""> quality indicates how accurate longitude/latitude of property is.

0 = Unknown location

1 = Country level accuracy

2 = Region (state, province, prefecture, etc.) level accuracy

3 = Sub-region (county, municipality, etc.) level accuracy

4 = Town (city, village) level accuracy

5 = Post code (zip code) level accuracy

6 = Street level accuracy

7 = Intersection level accuracy

8 = Address level accuracy

9 = Premise (building name, property name, etc.) level accuracy Quality lower than 6 shouldn't be used for showing location online

# 17.5 buildings

Description of buildings, rooms and layout. Translations of types can be retrieved using /translate method.

```
<bul><buildings>
  <br/><building type=""> some properties one or two annex on site, hence multiple buildings
                             type=001 is holiday home
    <room type="" size="">
                             for each room is listed sleeping capacity and other information
                             type defines room type - see /translations under roomTypes
                             size is room floor size in square meters
      <roomFacility id="" type=""></roomFacility>
                             roomFacility id/type refers to bathroom and toilet facilities, and info about
                             terrace/balcony - see /translation under roomFacilities
      <object type="" count="" capacity="" totalCapacity=""></object>
                             type refers to bed-type in room – see /translation under objectTypes
                             count defines number of bed-type in the room
                             capacity is number of sleeping places in the bed
    </room>
  </building>
</buildings>
```

# 17.6 pictures

Description and location of pictures and ground plan per property.

- The standard size is 2048 x 1303 pixels – equal to 11:7. To get other sizes you need to use add a folder to the path:

```
○ 300-pixel picture = [ http://image.novasol.com/pic/300 .... ]
```

API documentation - 30 - NOVASOL AS

```
    425-pixel floor = [ "http://image.novasol.com/pic/425 "... ]
    600-pixel picture = [ "http://image.novasol.com/pic/600 "... ]
    1024-pixel picture = [ "http://image.novasol.com/pic/1024 "... ]
    2048-pixel picture = [ "http://image.novasol.com/pic/2048 "... ]
```

- Model Images are shown with a camera as watermark in the image, and will be replaced once the right pictures are available, this will often be the case if it's a new build property

Please notice: Floorplans are only available in the resolution 1024-pixel (example: houseID\_floorplan\_01.png)

### 17.7 media

We offer property descriptions for all properties but not in all languages. The translation work load is quiet heavily and we focus on our main customer groups. These are German, Dutch, Danish, Swedish and Norwegian. We focus on main destinations for all other languages. Translations into English are only randomly done. Some properties may have videos available.

### 17.8 prices

Each property has different week prices depending when customers are traveling. Each week price is valid for a certain period of time and in prices-section is all periods listed with a price code/letter (A-Z) and week price for one week within the listed period. Returned prices are based on requested salesmarket(s).

ces> A - Z code for price <code></code> Net weekly rental Price <salesMarket code="" currency=""></salesMarket> code specifies salesmarket (ISO code) currency lists currency for salesmarket </price> <adjustedPrice> Weekly rental price (including mandatory <extraService> fix costs) for legal correct presentation. Depending on legal rules for each sales market. Do not use as booking price value! And we suggest you in general not to use this but only use the price for the calculation of the price, and by adding either <extraService> & </ownerExtraService> you will be able to get the final price that has to be displayed to the customer. <salesMarket code="" currency=""></salesMarket> code specifies salesmarket (ISO code) currency lists currency for salesmarket </adjustedPrice> <from></from> start date for price - format YYYYMMDD <to></to> end date for price - format YYYYMMDD </price>

#### 17.9 offers

</prices>

Description of discounts, last minute and special price rules on property. Not all parameters will be return per offer, as different rules comply depending on offer type.

<offers> <offer> <fromDate></fromDate> start date for offer – format YYYYMMDD end date for offer - format YYYYMMDD <toDate></toDate> <code></code> type of offer: lastminute; price/discount/salesmarket is returned and fromDate/toDate is

arrival/departure dates

specialoffer; discountPercentage is returned and arrival date have to be fromDate or later

and departure date should be at latest returned toDate

<price></price> deducted weekly price for period

<discount></discount> discount that is deducted from rental price (<discount> + <price> = normal season price)

API documentation - 32 -**NOVASOL AS** 

Please note that the base price for which the offers apply to is dependent on the multiplicator. In case of questions to offers, please reach out to partner@novasol.com.

#### 17.10 availabilities

Describes when property is available or not.

Use of calendar

There are 2 dependencies for opening a new season:

- 1) The product country must be opened up for the new season. This controls all properties in one country
- 2) The last rental date must be in the beginning of the next year of the new season (usually the first or second Saturday in January, in case of winter sport accommodation first day of May). This parameter controls the individual property.

The availability calendar shows 365 days from January 1st to December 31st and does not state if the property is open for the next season. To be able to sale the new year's week, its therefore needed to import at least the availabilities for next season. So two season of availabilities has always to be imported.

<availabilities>

<availability>

<apartment></apartment>

used in case of a property containing multiple identical apartments. Usually value=1

<from></from> start date of availability list – format YYYYMMDD

<to></to> end date of availability list – format YYYYMMDD

<lastRentalDate></lastRentalDate>

Date until the property can be booked online. The property is no longer in our portfolio after

this date. And all data as to be deleted once this date has passed.

The lastRentalDate is the primary key in the case both "dates" are returned.

<lastAvailabilityDate></lastAvailabilityDate>

Date until the property can be booked online. The house is still in our portfolio and will be opened for sales again. Manual pre-reservation for periods after this date can be made on the property and will be confirmed as soon as the date is removed. Pre – Reservations can

only be made by contacting our customer service team.

<inactive></inactive> and can no longer be booked:

true=The property is inactive false=the property is active

<days></days> One letter for each day of the year.

A=Available O=Occupied X=Occupied

R=Request (contact NOVASOL booking service)

</availability>

#### </availabilities>

NB: Winter rule for properties in Denmark

As per June 2020 a separate winter rule has been implemented for properties in Denmark. For detailed information please see 19.4

#### 17.11 services

Extra Service is for example final cleaning, linen, child chair or childbed. Depending on the product country or property are these services optional or mandatory. Depending on the sales market the extra service is calculated into the rental price or has to be paid on arrival.

Extra Services should always be listed with other price information, especially when services are compulsory. Our guests need full information about the products and prices, before the make the booking!

Services under <extraService> are offered and handled by NOVASOL or dansommer. Services under <ownerExtraService> are handled by the house owner and the payment of this has to take place on arrival only, where <extraService> can be paid upfront or at arrival. We suggest you to add as much to the booking as possible as this will create a better customer journey for the customer.

```
<services>
 <extraService>
    <serviceID></serviceID> our internal id number for the service. This is used for ordering services
                              with booking. The text description of the service can be found looking for
                              the serviceID in the translation endpoint.
    <priceUnitCode></priceUnitCode>
                              states how price is calculated:
                               1 = Daily price
                               2 = Weekly price
                               3 = Price per stay
                               4 = Price per person
                               5 = Price per unit
                               6 = Price per day and person
                               7 = Price per week and person
                              8 = Price per hour
                              11 = Price per KWh
                              12 = Price per m3
                              13 = Price per liter
                              14 = Price per MWh
                              21 = Price for 4 hours (Not current in use)
                              22 = Price for 8 hours (Not current in use)
                              23 = Price for 5 days (Not current in use)
                              24 = Price per set
                              25 = Price per bag
    <serviceGroup></serviceGroup>
                              specification for group:
                              101=Deposit
                              201=Cleaning
                              202=Services
                              203=Insurance
                              204=Tax
                              205=Mandatory Variable consumption cost
                              301=Activities
```

#### <salesmarket code=""></salesmarket>

Price for requested sales marked

</price>

<servicetype>

#### <salesmarket code=""></salesmarket>

Specifies if the service is mandatory for each sales market

0 or not specified = optional and can be paid with the booking (using "external" parameter on booking request) or on arrival on request.

- 1 = the service is mandatory and can be paid with the booking (using "external" parameter on booking request) or on arrival
- 2 = the service is mandatory and unit price included in rental price
- 3 = the service is mandatory. The price is added to the rental and booking price and paid with booking.
- 4 = the service is mandatory; price is added to the rental price on house presentation but is not added to rental price on booking. Service is paid on arrival.
- 6 = the service is variable and mandatory. The service can not be added to the booking, but guest will get charged the cost on site or after check out. Cost will be charged according to the guest usages. Shall not be added to the rental price but stated at the house presentation and check out pages.

#### </servicetype>

<maxUnits></maxUnits> shows how many services that can be ordered online

if the value is "0 or minus 1" or the parameter is missing it is not possible to order the

service online.

<from></from> service is available from this date – format YYYYMMDD

<to></to> service is available until this date – format YYYYMMDD

</ExtraService>

#### <OwnerExtraService>

<serviceID></serviceID> our internal id number for the service. Service cannot be ordered with

booking but should be listed with other property information.

Description of service can be found looking for serviceID under /translate

<price></price>

price for extra service

<minimumPrice></minimumPrice>

specified if the service has a minimum price. Multiply <price> with amount of guests. The higher amount of minimum and price per person is taken as cleaning costs

#### <priceUnitCode></priceUnitCode>

states how price is calculated:

- 1 = Daily price
- 2 = Weekly price
- 3 = Price per stay
- 4 = Price per person
- 5 = Price per unit
- 6 = Price per day and person
- 7 = Price per week and person
- 11 = Price per kWh
- 12 = Price per m<sup>3</sup>
- 13 = Price per liter
- 21 = Price for 4 hours (Not current in use)

```
22 = Price for 8 hours (Not current in use)
                              23 = Price for 5 days (Not current in use)
                              24 = Price per set
                              25 = Price per bag
    <serviceType></serviceType>
                              Specifies if the service is mandatory for each sales market
                              0 or not specified = optional or variable cost and paid on arrival. If optional only if
                              requested.
                              1 = the service is mandatory and paid on arrival
    <priceType></priceType>
                              1 = the service is included
                              2 = the service is variable, but mandatory and based on the guest use and to be paid on
                      site.
   <currency></currency>
 </OwnerExtraService>
</services>
```

In order to retrieve the current exchange rate for onsite services, where only the local currency is displayed on our end, please use the following method. This Endpoint displays NOVASOLs current exchange rate used:

GET partnerapi.novasol.com/api/currencyRates

# 17.12 concepts

Describes types of concepts on a property. Concepts can be price and arrival related like Spar/longterm discount, Mini vacation and Optional arrival. Concepts can be about special features such as free access to waterpark or that property has an exceptional view. We suggest you to review the concepts and use the concepts as best as possible to indicate this property has something unique to offer. All concepts minus Spar/longterm discount, Mini vacation and Optional arrival will also be available as a feature.

```
<concepts>
<concept></concept>
</concepts>
```

# 17.13 legal

In this section, information about the license number of the property can be found. Furthermore, for French properties, information about the property type in terms of primary/secondary residence can be found.

```
<legal>
<registration>
type:

pri = primary residence
sec= secondary residence
lic = license
<legal>
```

API documentation - 36 - NOVASOL AS

Ver. 1.19.4

# 18 PriceRules/LOS rules

By using the parameter sections=pricerules you will get all rules for the properties. This will inform you if the property is allowing any kind of other stays then week stays such as short-term vacation, or optional arrival. It will also give you the rules for regular week stays. It will also inform you about long-term discount. Example if customer books 14 nights, and then get a discount.

To have the full overview to be able to calculate the prices you must use following sections:

- <prices> will return the week prices for each property
- <priceRules> will return the specific rules for each property
- <offers> will return if there is any special offer or last minute deal
- <services> will return all services, mandatory services is needed to calculate the total price.

**NOTE:** The price rules are valid per season, and follow the normal seasonality. Its therefore important to collect all available season and the price rules.

#### 18.1 Price rules definitions

Return	Description	Format
<salesmarket></salesmarket>	On which sales market the code is valid.	Numeric
<from></from>	From when the rule is valid and to be used. Equal to the first possible check in date	Numeric
<to></to>	Until when the rule is valid. Equal to the last possible check out date.	Numeric
<pre><percentage></percentage></pre>	Can either be positive or negative	Numeric
<arrivalweekdays></arrivalweekdays>	On which week day the check in rule is valid for.	Numeric
<minstay></minstay>	Minimum length of stay	Numeric
<maxstay></maxstay>	Maximum length of stay	Numeric
<maxdaystoarrival></maxdaystoarrival>	From when the rule can be used. Equal to booking restrictions. If there are more days to arrival then indicated in this filed, the rule cannot yet be used.	Numeric

#### 18.2 Price rule calculations

How to calculate the prices based on price rules. The baseline for using our price rules are as before to calculate the day price, (week price divided by 7).

All rules has to be calculated and the rule providing the cheapest price for a given period has to be applied (based on individual rule, not the combination).

# 18.2.1 Week price, fixed arrival weekday

# 18.2.2 Rule calculations with percentage

```
Rule example
```

```
<priceRules>
    <rule>
    <salesMarket>999</salesMarket>
    <from>2020-01-11</from>
    <to>2021-01-09</to>
    <percentage>86.66</percentage>
    <arrivalWeekdays>1,2,3,4,5,6,7</arrivalWeekdays>
    <minStay>3</minStay>
    <maxStay>3</maxStay>
    <maxDaysToArrival>28</maxDaysToArrival>
    </rule>
```

# **Examples:**

```
3 night stay with week price 700
```

```
700 / 7 = 100 * 3 = 300 + 86,66\% = 559,998 \sim 560
```

# With overlapping of seasons prices

```
Week 1 = 700

Week 2 = 800

1 day in week 1 & 2 days in week 2

Week 1 = 700 / 7 * 1 = 100

Week 2 = 800 / 7 * 2 = 228,571

100 + 228,571 = 323,571 + 86,66% = 613,331 ~ 613
```

## 3 night stay with week price 700 and 30 % discount stayed in section "offer"

```
700 / 7 = 100 * 3 = 300 + 86,66\% = 559,998 - 30 \% = 392
```

**NOTE:** The latest check in date for above rule is: 2021.01.06 "to" date minus max stay" (Corresponds to latest check out date = 2021.01.09).

# 18.2.3 Rule calculations for periods of +7 days

Calculations of stays above 7 days

## Rule example

```
<rule>
    <salesMarket>999</salesMarket>
    <from>2020-01-11</from>
    <to>2020-06-27</to>
    <percentage>0.00</percentage>
    <arrivalWeekdays>1,2,3,4,5,6,7</arrivalWeekdays>
    <minStay>7</minStay>
    <maxStay>84</maxStay>
```

#### **Examples**

Week price 700 stay length 10 days

```
700 / 7 = 100 * 10 = 1000
```

With overlapping season prices
Week 1 = 700
Week 2 = 1000
5 days in week 1 and 5 days in week 2
700/7=100 \* 5 = 500
1000/7=142,857\*5 = 714,285
Price total for 10 days 1214,286~1214
Rule Example

**NOTE**: The latest check in date for this rule is 2020-06-2020 (Corresponds to latest check out date = 2021-06-27). Periods can go beyond 2020-06-27 but in such case other rule has to be applied, example

```
<rule>
    <salesMarket>999</salesMarket>
    <from>2020-01-11</from>
    <to>2021-01-09</to>
    <percentage>0.00</percentage>
    <arrivalWeekdays>6</arrivalWeekdays>
    <departureWeekdays>6</departureWeekdays>
    <minStay>7</minStay>
    <maxStay>84</maxStay>
```

#### Example:

Check in 2020-06-18 & check out 2020-07-04 is ok

Check in 2020-06-18 & check out 2020-07-03 is not ok, as no rules is valid.

# 18.2.4 Rule calculations for "negative" percentages

Calculation rules where discount is offered for a period:

#### Rule example:

Calculation example of a 14 night stay where week price is 700 700 / 7 \* 14 = 1400 minus 10 % = 1260

**NOTE:** Discounts are only applied for each whole week that is booked within the from -to dates in the rule:

```
Calculation example of a 17 night stay where week price is 700 700 / 7 * 14 = 1400 minus 10\% = 1260 + 700 / 7 * 3 = 1560
```

Calculation example of overlapping season prices.

```
Week 1 = 700

Week 2 = 1000

7 nights in each week=

700/7=100 * 7 = 700

1000/7=142,857 *7 = 1000

Total price 1700 minus 10 % = 1530
```

**NOTE:** Discount percentages are only valid with in the from – to dates in the rule. Bookings can off course start before the from date and go beyond the to date, but for the stays discounts will not apply. Only for stays within the rule

Calculation example of overlapping season prices with 17 days stay:

```
First 10 days = 700 per week
Last 7 days = 1000 per week

First 10 days = 700/7 * 10 = 1000 - 10% = 900

Last 7 days = (1000/7 * 4 -10%) + 1000/7*3 = 571,4286 - 10% + 1000/7*3 = 514,29 + 428,57 = 943

Total price = 1843
```

**NOTE:** The discount is applied to the first 14 days of the booking period.

#### 18.4 Last minute

Referring to the parameter and value <code>lastMinute</code> in the product information under section offers. NOVASOL last minute offers are properties which have had a cancelled booking for the requested period. Prices are shown per week and need to be divided into price per day and multiplied by days of the stay if the period is not a week. Is a shorter period booked the last minute offer is only given for the booked period. A new booking for the rest of the period will be to normal conditions.

NOTE: Last minute overrules price rules and restrictions given in rules are not valid with in the last minute period.

# 18.5 Rounding rules

When the calculation is completed the final price must be rounded according to the general rounding rules (up/down)

# Example:

10,412 = 1010.513 = 11

#### 18.6 restrictions

To be able to inform our partners about until when a booking can be created instantly, without doing any request we have updated our price rules API with following two information.

# A) <bookingOffset>

This indicate until when a property can be booked online via the API.

Example <bookingOffset>P1DT8H</bookingOffset> this means booking is possible until 16.00 CET the day before arrival

P1 = Day of arrival midnight minus 1 day

T8H=24.00 minus 8 hours

So example arrival 20.07.2021 can be booked until 16.00 CET the 19.07.2021

#### B) <rollingRequest>

This indicate if the property is on request and therefore can't be booked unless its requested via us.

This is also reflected at the calendar string, but know this is nice to know upfront if the property is on request xx days before arrival.

Each night a day is added to the request equal to the amount of days stated in <rollingRequest>

# C) <blockedArrivalDays>

This means that arrival on the given date is not permitted

#### D) <blockedDepartureDays>

This means that departures on the given date is not permitted

Please note that blocked arrival days and blocked departure days often is the 24<sup>th</sup> and 31th of December.

# 18.7 Exceptions

As we in some destinations are having exceptions to the regular rules. This for mainly during Christmas and New-year periods. Then please ensure to integrate the exceptions to the rules.

<exception>
 <minStay>7</minStay>

```
<optionalArrivalFrom>2021-12-11</optionalArrivalFrom>
<optionalArrivalTo>2022-01-08</optionalArrivalTo>
<optionalDepartureFrom>2021-12-11</optionalDepartureFrom>
<optionalDepartureTo>2022-01-08</optionalDepartureTo>
</exception>
```

This rule means that you can book the property for min 7 days or more with any check in date and check out date in above date range. This even the property does not offer this in other periods of the year.

Date format: YYYY-MM-DD

NB: In case the property is offering less then 7 days stays, then this will still be bookable.

# 19 Special information

# 19.1 API weekly updates

We suggest that data is not collected in the following timeslots:

Tuesday between 03.00 & 05.30 CET

Wednesday between 05.00 & 05:30 CET

Here our system will run backups. You will get files in return but the files will not be accurate. We therefore suggest starting your jobs after this time. In general we suggest you to run batch calls after 5.30. This will ensure the best data.

### 19.2 Currency and sales markets

Please note that dansommer properties is only valid in following sales markets. 208,280,528,578,752 & 999.

If you have a customer from a country that is not matching any of the first 5 master sales market we suggest you to use 999 for these countries. Example Spanish or UK customers.

#### 19.3 Discounts

The amount returned on the /available call is the discount that is offered for the requested period. The amount is already deducted from the rental price.

#### 19.4 Additional rules destination Denmark

# 19.4. a) Winter rule destination Denmark

According to Danish law limitations apply to the rental of properties in Denmark during the winter period.

For this reason the following rules have been applied by NOVASOL:

#### Winter season definition

From 1st November to 1st of March the following year (i.e. 1.11.2023 – 01.3.2024).

#### Winter rule definition

- 1) During the winter season a property must not be occupied more than 63 days in total
- 2) During the winter season a customer must not be able to create a booking with a duration of more than 28 days (28 days of stay are OK, 29 or more days of stay are not OK)

When counting the occupation <days> for the winter rule validation only O=Occupied must be counted.

API documentation - 43 - NOVASOL AS

It has not been implemented in the availability call since it is not fixed dates that must be blocked. However the validation of the winter rule has been implemented by NOVASOL when attempting to create a new booking (post booking). If the booking details conflict with the winter rule an error code will be returned.

Please also notice, that the number of occupied days will also be reflected within the following section:

```
<restrictionType>WTR</restrictionType>
<restrictedDays>51</restrictedDays>
```

Above implies, that for the upcoming winter season, a total of 51 days have already been booked, meaning that a new booking for the upcoming winter season can have a maximum length of 63-51 = 12 days.

Please also notice, that the product calls for a specific season will always share the restricted days for the upcoming winter season, staring from the 01.11 of the season. That means, that a reservation for February 2025 for example will need to be checked based on the restricted days shared in the product call of 2024.

#### 19.4. b) Seasonal rule Destination Denmark

According to Danish law limitations apply to the rental of properties in Denmark during each season.

Seasonal rule definition:

During each season, defined from January 1<sup>st</sup> to December 31<sup>st</sup> of each year, a holiday home can be rented out for a max of 41 weeks, meaning that the maximum number of days that a holiday home can be rented out, is 287 days.

The number of occupied days for each season will be reflected within the following section:

```
<restrictionType>CAL</restrictionType>
<restrictedDays>281</restrictedDays>
```

Above implies, that for the current season, a total of 281 days have already been booked, meaning that a new booking for the specific season can have a maximum length of 287-281 = 6 days.

# 19.5 Secure Payment Solution: Payment IQ

In order to improve the customer journey, NOVASOL has established a new payment solution in order to increase the level of security for sensitive data. For partners with the possibility of executing tokenization, the Payment IQ solution can be implemented, which is characterized by mapping sensitive data via a tokenization system. This solution will require that partners have their own payment provider integrated already. In case you wish to learn more about the Setup of the payment IQ solution, kindly reach out to NOVASOL via <a href="mailto:partner@novasol.com">partner@novasol.com</a>.

#### 19.6 Self-Check-in-properties

Self-check-in properties become a more and more popular feature for guests, triggering additional conversion. In order to highlight the possibility of self-check-in on your end, you will find the following code in our API for properties with key boxes at the property:

<keyType>006</keyType>

API documentation - 44 - NOVASOL AS

# 20 Booking batch

Instead of using specific calls on booking levels or using "List" solution for keep track of the bookings, we suggest you to use booking batch. This will allow you to create a batch request per agency ID.

Method: POST

EX: https://partnerapi.novasol.com/api/bookingbatch?company=nov&agency=&salesmarket=&type=all&from=&to=&replyto=

# 20.1 Parameters

Parameter	Rule	Format	Description
company	mandatory	alpha ISO 3166-1	nov=novasol or dan=dansommer
salesmarket	mandatory	numeric-3	
agency	mandatory	numeric	7 digit agency number
from	mandatory	YYYYMMDD	Arrival date from
to	mandatory	YYYYMMDD	Arrival date to - date must be in same calendar year as arrival from
type	mandatory		All = All reservation status
			Option = Not completed booking
			Reservation = Active not yet paid
			booking = All paid and active bookings not cancelled = option, reservation & booking cancellation= all cancelled booking bookings
			URL of your server.
replyto	mandatory	URL	When the batch file is ready to download a POST request is send to the specified URL including the batch ID
replyto	manuatory	UILL	including the batch ib

# 20.1 Parameters returns

Parameter	Format	Description
Batchid	numeric	identification of batch file

# 20.2 GET bookingbatch

Method: GET

Ex: https://partnerapi.novasol.com/api/bookingbatch/

Enter the batch after bookingbatch/

Return the most valuable information of a booking

```
<booking>
<bookingid><![CDATA[]]></bookingid>
<propertyid><![CDATA[]]></propertyid>
<arrival></arrival>
<departure></departure>
<type> </type>
<rentprice><![CDATA[]]></rentprice>
<paymentregistered><![CDATA[]]></paymentregistered>
<cancellationpossible> </cancellationpossible>
<cancelfee><![CDATA[]]></cancelfee>
<rebooked> </rebooked>
<newbooking />
<commission><![CDATA[]]></commission>
<subgroup><![CDATA[]]></subgroup>
</booking>
```

# **99 Document Version Control**

This version includes the following changes:

Date	Section	Changes
12.9.2019	General	The previous change log has been replaced by this Version control:
	General	The Cuendet brand is not used anymore
General General General 6.1&12.1		The Duo concept is not used anymore
		The NOVASOL support WEB site URL has changed
		Safe.novasol.com replaced with partnerapi.novasol.com The 91 day rule for properties in Denmark is not in use
	7.1	Alpine parameter is not in use
	6.1	Services and terms of rent returned with the \available API call
	7.1	Arrival details Christmas and new year changed
	8.	Bookings accepted minimum number of days before arrival changed
	8.1.1	Change in parameter/post. More parameters changed to mandatory:
		- Street, street number, zip code, city, phone, E-mail, document(electronic)
	8.3	Access to E-docs (URL will be returned when placing a booking status call)
	12.1.	Services and terms of rent returned with the \available API call
	18.1.	The definition of rules around minimum number of days of stay have changed
	18.4.	Pictures also supplied in 2048 pixel
	18.6. 18.7.	All texts supplied in type W=Web text
	18.10	Active code added for properties Section about cleaning updated. Section re-numbered to 20.1.
	20.2	Concept descriptions removed. Sections re-numbered. And replaced with price rules
	20.2	Detailed change log removed
	20.1-20.10	Add
	999	
18.12.2019	18.2.2	Added how to calculate a price with an offer and a "percentages"
05.06.2020	19.4	Added info about Winter rule in Denmark
29.03.2021	20	Bookingbatch added to documentation
29.03.2021	10 & 11	Booking batch ref. given at the booking specific call and list call
19.07.2021	17.11	Added information due to consumption cost being exposed
19.07.2021	18.6	New section added about pricerules
13.09.2021	17.11	Update values in Priceunitcode for extraservices.
13.09.2021	Intro	URL for documentation changed from helpserve.novasol.com to own hosted URL
-		, , , , , , , , , , , , , , , , , , , ,
27.09.2021	6	Added payment methods as optional item
	-	
04.10.21	17.11	Added information that price type "2" is variable and mandatory
U <del>4</del> . IU.∠ I	17.11	Added information that price type 2 is variable and illatituatory
		I and the second
444004	40.0.4	Added information that paretter discount is sufficient to the
14.10.21	18.2.4	Added information that negative discount is only applied for each whole week booked

14.10.21	18.2.2	Added example for: <b>3 night stay with week price 700 and 30 %</b> and deleted reference to helpservice which we not use anymore.
14.10.21	18.3	Deleted section about calculation examples, as helpservice site is no longer supported.
21.10.21	18.7	New section added with exceptions to pricerules
08.11.21	17.11	Added <priceunit-code> : 25 = Price per bag</priceunit-code>
10.11.21	1.4	Added information about the maintenance work.
20.01.22	8.1.1.	"Firstname" changed from "optional" to "mandatory"
27.01.22	17.11	Added method about currency exchange endpoint partnerapi.novasol.com/api/currencyRates
16.03.2022	17.13	Added information about legal section 17.13
18.03.2022	19.5	Added information about payment IQ
06.05.2022	12.1	Reference for retrieving rental terms changed from 6.1. to 7.1 (specific availability call to retrieve rental terms)
04.08.2022	18.2.4	Added calculation example for 17 days stay with different seasonal prices
01.09.2022	1.1; 1.7; 1.3; 20.2	Small errors corrected. Helpservice site exchanged with https://www.novasol.com/apidocumentation
02.09.2022	19.6	Added section about self-check-in properties
26.09.2022	17.1	Added section about sunbeds
25.10.2022	18.2.4	Changed cancellation example in section 18.2.4 – First 14 days will be taken into consideration for the calculation of the discount.
01.12.2022	17.6	Added information about the resolution of the floorplan in "please notice"
28.02.2023	8.1.1	Deleted section about bank ID, bank Account and Merged Lastschrift into ibannumber/swiftnumber.
28.02.2023	17.11	Added 8 = price per hour Added 14 = price per MWH
04.12.2023	18.2	Adding that cheapest pricerule is based on individual offer, not the combination of rules.

25.01.24	17.9	Added information that offer depends on usage of multiplicator
21.03.24	19.4	Adjusted the information about the winter rule and added the information about the seasonal rule
14.06.24	3,4,5,6	Added information about adding version=2 parameter in order to retrieve the new format of the winterrules (19.4)
04.12.24	8.1.1	Added the information, that extra service can also be ordered with the booking, if service type = 4

- 49 -